SOLACE BATH

PRODUCT FEATURES

- From the brand formerly known as Tech Lighting
- Features a sleek back plate for a clean minimal appeal
- Can be mounted vertically or horizontally. ADA compliant
- Available in modern finishes
- Ideal for vanities and bathrooms
- All lamping options are fully dimmable to create the desired ambiance in any space

LAMPING

May be mounted vertically or horizontally. LED includes 25 watt, 1544 delivered lumens, 3000K 90 CRI module. Dimmable with most LED compatible ELV and TRIAC dimmers. 277V compatible with 0-10V dimmers. ADA compliant.

White

White

ORDERING INFORMATION

| 700BCSLC26W	COLOR	FINISH	LAMP	
	WHITE	C CHROME	-LED930	LED 90 CRI 3000K 120V (T20/T24)
		S SATIN NICKEL	-LED930-277	LED 90 CRI 3000K 277V (T20/T24)

700BCSLC26W

JOB NAME

NOTES

7400 Linder Avenue, Skokie, IL 60077
T 847.410.4400 | F 847.410.4500 | techlighting.com

SOLACE BATH

SPECIFICATIONS

PRIMARY MATERIAL	Glass
SHADE MATERIAL	Glass
NET WEIGHT	7 lbs
HEIGHT	4.5in
WIDTH	2.7in
LENGTH	26in
WET LISTED	
DAMP LISTED	
DRY LISTED	
GENERAL LISTING	ETL Listed
INCLUDES	

LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		1544.0		
WATTS		25		
MAX WATTAGE PER BULB		25W		
		120V ELV		
		277V ELV		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME				
L70		>50000		
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		True		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6 / JA8.	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	Yes		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.