

PLURAL

TECH LIGHTING
MODERN COLLECTION

Visual Comfort & Co.

PLURAL

DESIGNED BY SEAN LAVIN



PLURAL

DESIGNED BY SEAN LAVIN



MULTIPLE OPTIONS TO INSTALL FOR A CLEAN APPEARANCE



The included matte white canopy can be painted to match the wall after mudding or even covered in wall paper.





The Plural also ships with a minimal cover plate in a matching finish that sits completely flush with the wall.




Plural also ships with a larger cover plate that sits on the surface of the wall if mudding is not desired.

HEAD PIVOTS FOR PERFECT ILLUMINATION







Max rotation 0-35°


THE BIRDS OF AMERICA
HABITAT
sci-fi chronicles
THE GLORY OF THE TREE
NEW CITY HOME
ART HOUSE
THE BEATLES
SHE

PLURAL DOME


DESIGNED BY SEAN LAVIN











PLURAL DOME 8" PICTURE LIGHT

700PLUD8Z-LED930 (3000K)
DARK BRONZE

700PLUD8NB-LED930 (3000K)
NATURAL BRASS

700PLUD8B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD8N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 8" | D: 8.9"
Integrated LED | 120V-277V | 5.9W | 230 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination


For additional specification information, please refer to specification section or visit techlighting.com











PLURAL DOME 12" PICTURE LIGHT

700PLUD12Z-LED930 (3000K)
DARK BRONZE

700PLUD12NB-LED930 (3000K)
NATURAL BRASS

700PLUD12B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD12N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 12" | D: 8.9"
Integrated LED | 120V-277V | 9.4W | 425 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com



PLURAL DOME


DESIGNED BY SEAN LAVIN











PLURAL DOME 18" PICTURE LIGHT

700PLUD18Z-LED930 (3000K)
DARK BRONZE

700PLUD18NB-LED930 (3000K)
NATURAL BRASS

700PLUD18B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD18N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 18" | D: 8.9"
Integrated LED | 120V-277V | 14.3W | 717 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination


For additional specification information, please refer to specification section or visit techlighting.com











PLURAL DOME 24" PICTURE LIGHT

700PLUD24Z-LED930 (3000K)
DARK BRONZE

700PLUD24NB-LED930 (3000K)
NATURAL BRASS

700PLUD24B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD24N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 24" | D: 8.9"
Integrated LED | 120V-277V | 19.2W | 1009 Lumens | 2700K or 3000K | 95CRI


Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL DOME

DESIGNED BY SEAN LAVIN





PLURAL DOME 30" PICTURE LIGHT

700PLUD30Z-LED930 (3000K)
DARK BRONZE

700PLUD30NB-LED930 (3000K)
NATURAL BRASS

700PLUD30B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUD30N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 30" | D: 8.9"
Integrated LED | 120V-277V | 24.1W | 1302 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN











PLURAL FACETED 8" PICTURE LIGHT

700PLUF8Z-LED930 (3000K)
DARK BRONZE

700PLUF8NB-LED930 (3000K)
NATURAL BRASS

700PLUF8B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF8N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 8" | D: 8.9"
Integrated LED | 120V-277V | 5.9W | 230 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com











PLURAL FACETED 12" PICTURE LIGHT

700PLUF12Z-LED930 (3000K)
DARK BRONZE

700PLUF12NB-LED930 (3000K)
NATURAL BRASS

700PLUF12B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF12N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 12" | D: 8.9"
Integrated LED | 120V-277V | 9.4W | 425 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN











PLURAL FACETED 18" PICTURE LIGHT

700PLUF18Z-LED930 (3000K)
DARK BRONZE

700PLUF18NB-LED930 (3000K)
NATURAL BRASS

700PLUF18B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF18N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 18" | D: 8.9"
Integrated LED | 120V-277V | 14.3W | 717 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com











PLURAL FACETED 24" PICTURE LIGHT

700PLUF24Z-LED930 (3000K)
DARK BRONZE

700PLUF24NB-LED930 (3000K)
NATURAL BRASS

700PLUF24B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF24N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 24" | D: 8.9"
Integrated LED | 120V-277V | 19.2W | 1002 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com

PLURAL FACETED

DESIGNED BY SEAN LAVIN





PLURAL FACETED 30" PICTURE LIGHT

700PLUF30Z-LED930 (3000K)
DARK BRONZE

700PLUF30NB-LED930 (3000K)
NATURAL BRASS

700PLUF30B-LED930 (3000K)
NIGHTSHADE BLACK

700PLUF30N-LED930 (3000K)
POLISHED NICKEL

H: 2" | W: 30" | D: 8.9"
Integrated LED | 120V-277V | 24.1W | 1302 Lumens | 2700K or 3000K | 95CRI

Features pivoting head for perfect illumination

For additional specification information, please refer to specification section or visit techlighting.com


VOGUE




PLURAL

DESIGNED BY SEAN LAVIN

REMODEL INSTALLATION PROCESS



Cut hole in desired location.



Connect power to junction box.




Screw junction box to the wall. Junction box will grip the interior wall with two wing brackets.




If you choose to use the minimal cover plate you must install the mud plate.



Mud the wall and plate.




Wire the transformer and junction box.



Connect fixture to junction box.



Attach the minimal cover plate until completely flush with the wall.



If you choose to use the 4" canopy then wire the fixture to the junction box.



Attach the 4" canopy by twisting until completely flush with the wall.

NEW CONSTRUCTION INSTALLATION PROCESS



Install junction box between two joists with supplied hanger bar.



Connect power from conduit to junction box.



Install the drywall.




Install the mud plate.



Screw mud plate and junction box to the wall. Junction box will grip the interior wall with two wing brackets.



Mud the wall and plate.



Wire the transformer and junction box.



Connect fixture to junction box.



The included matte white canopy can be painted to match the wall after mudding or even covered in wall paper.



The Plural also ships with a minimal cover plate in a matching finish that sits completely flush with the wall.

SPECIFICATIONS


PLURAL DOME 8" PICTURE LIGHT

P 4

ITEM NUMBER
Dark Bronze
700PLUD8Z-LED927 (2700K)
700PLUD8Z-LED930 (3000K)
Natural Brass
700PLUD8NB-LED927 (2700K)
700PLUD8NB-LED930 (3000K)
Nightshade Black
700PLUD8B-LED927 (2700K)
700PLUD8B-LED930 (3000K)
Polished Nickel
700PLUD8N-LED927 (2700K)
700PLUD8N-LED930 (3000K)

SIZE
H: 2" | W: 8" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 5.9W
Delivered Lumens: 230
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL DOME 12" PICTURE LIGHT

P 4

ITEM NUMBER
Dark Bronze
700PLUD12Z-LED927 (2700K)
700PLUD12Z-LED930 (3000K)
Natural Brass
700PLUD12NB-LED927 (2700K)
700PLUD12NB-LED930 (3000K)
Nightshade Black
700PLUD12B-LED927 (2700K)
700PLUD12B-LED930 (3000K)
Polished Nickel
700PLUD12N-LED927 (2700K)
700PLUD12N-LED930 (3000K)

SIZE
H: 2" | W: 12" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 9.4W
Delivered Lumens: 425
CCT: 2700K or 3000K
CRI: 90
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL DOME 18" PICTURE LIGHT

P 6

ITEM NUMBER
Dark Bronze
700PLUD18Z-LED927 (2700K)
700PLUD18Z-LED930 (3000K)
Natural Brass
700PLUD18NB-LED927 (2700K)
700PLUD18NB-LED930 (3000K)
Nightshade Black
700PLUD18B-LED927 (2700K)
700PLUD18B-LED930 (3000K)
Polished Nickel
700PLUD18N-LED927 (2700K)
700PLUD18N-LED930 (3000K)

SIZE
H: 2" | W: 18" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 14.3W
Delivered Lumens: 717
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL DOME 24" PICTURE LIGHT

P 6

ITEM NUMBER
Dark Bronze
700PLUD24Z-LED927 (2700K)
700PLUD24Z-LED930 (3000K)
Natural Brass
700PLUD24NB-LED927 (2700K)
700PLUD24NB-LED930 (3000K)
Nightshade Black
700PLUD24B-LED927 (2700K)
700PLUD24B-LED930 (3000K)
Polished Nickel
700PLUD24N-LED927 (2700K)
700PLUD24N-LED930 (3000K)

SIZE
H: 2" | W: 24" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 19.2W
Delivered Lumens: 1009
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL DOME 30" PICTURE LIGHT

P 7

ITEM NUMBER
Dark Bronze
700PLUD30Z-LED927 (2700K)
700PLUD30Z-LED930 (3000K)
Natural Brass
700PLUD30NB-LED927 (2700K)
700PLUD30NB-LED930 (3000K)
Nightshade Black
700PLUD30B-LED927 (2700K)
700PLUD30B-LED930 (3000K)
Polished Nickel
700PLUD30N-LED927 (2700K)
700PLUD30N-LED930 (3000K)

SIZE
H: 2" | W: 30" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 24.1W
Delivered Lumens: 1302
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL FACETED 8" PICTURE LIGHT

P 8

ITEM NUMBER
Dark Bronze
700PLUF8Z-LED927 (2700K)
700PLUF8Z-LED930 (3000K)
Natural Brass
700PLUF8NB-LED927 (2700K)
700PLUF8NB-LED930 (3000K)
Nightshade Black
700PLUF8B-LED927 (2700K)
700PLUF8B-LED930 (3000K)
Polished Nickel
700PLUF8N-LED927 (2700K)
700PLUF8N-LED930 (3000K)

SIZE
H: 2" | W: 8" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 5.9W
Delivered Lumens: 230
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL FACETED 12" PICTURE LIGHT

P 8

ITEM NUMBER
Dark Bronze
700PLUF12Z-LED927 (2700K)
700PLUF12Z-LED930 (3000K)
Natural Brass
700PLUF12NB-LED927 (2700K)
700PLUF12NB-LED930 (3000K)
Nightshade Black
700PLUF12B-LED927 (2700K)
700PLUF12B-LED930 (3000K)
Polished Nickel
700PLUF12N-LED927 (2700K)
700PLUF12N-LED930 (3000K)

SIZE
H: 2" | W: 12" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 9.4W
Delivered Lumens: 425
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL FACETED 18" PICTURE LIGHT

P 9

ITEM NUMBER
Dark Bronze
700PLUF18Z-LED927 (2700K)
700PLUF18Z-LED930 (3000K)
Natural Brass
700PLUF18NB-LED927 (2700K)
700PLUF18NB-LED930 (3000K)
Nightshade Black
700PLUF18B-LED927 (2700K)
700PLUF18B-LED930 (3000K)
Polished Nickel
700PLUF18N-LED927 (2700K
700PLUF18N-LED930 (3000K)

SIZE
H: 2" | W: 18" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 14.3W
Delivered Lumens: 717
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers



PRODUCT SPECIFICATIONS

PICTURE LIGHTS


PLURAL FACETED 24" PICTURE LIGHT

P 9

ITEM NUMBER
Dark Bronze
700PLUF24Z-LED927 (2700K)
700PLUF24Z-LED930 (3000K)
Natural Brass
700PLUF24NB-LED927 (2700K)
700PLUF24NB-LED930 (3000K)
Nightshade Black
700PLUF24B-LED927 (2700K)
700PLUF24B-LED930 (3000K)
Polished Nickel
700PLUF24N-LED927 (2700K)
700PLUF24N-LED930 (3000K)

SIZE
H: 2" | W: 24" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 19.2W
Delivered Lumens: 1009
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers




PLURAL FACETED 30" PICTURE LIGHT

P 10

ITEM NUMBER
Dark Bronze
700PLUF30Z-LED927 (2700K)
700PLUF30Z-LED930 (3000K)
Natural Brass
700PLUF30NB-LED927 (2700K)
700PLUF30NB-LED930 (3000K)
Nightshade Black
700PLUF30B-LED927 (2700K)
700PLUF30B-LED930 (3000K)
Polished Nickel
700PLUF30N-LED927 (2700K)
700PLUF30N-LED930 (3000K)

SIZE
H: 2" | W: 30" | D: 8.9"

LAMPING
Integrated LED
Voltage: 120V-277V
Total Watts: 24.1W
Delivered Lumens: 1302
CCT: 2700K or 3000K
CRI: 95
Dimmable with most LED compatible
ELV, Triac and 0-10V dimmers



VISUAL COMFORT & CO.

7400 Linder Avenue
Skokie, IL 60077

Phone: 847.410.4400
techlighting.com | @techlighting_official | #techlighting

© 2022 Visual Comfort & Co.